



HEA HIGH EFFICIENCY A I R L E S S.

Makes it easier to paint like a pro.™

New High Efficiency Airless™ technology takes the intimidation out of airless spraying with unmatched control and a forgiving fan pattern that delivers a more consistent finish.

- ▶ UP TO 55% LESS OVERSPRAY¹
- Softer spray improves control for a more consistent finish
- Takes the intimidation out of airless spraying


Perfect for that contractor new to spraying or the semi-professional ready to take the next step. HEA systems can be used for a wide range of coating materials, including interior and exterior jobs, and can easily be transported from job site to job site.

- Lasts up to 3X longer than comparable airless sprayers
- Power to spray unthinned coatings
- Replaceable fluid section maximizes sprayer life









ControlMax™ 1900

AIRLESS PAINT SPRAYER







Makes it easier to paint like a pro.™

UP TO

55%
LESS OVERSPRAY¹



ControlMax™ 1900 Skid

INCLUDES:
All metal gun
Inline filter/swivel
15m hose
Pressure gauge
Gun extension (30cm)
Tips: 311, 515, 619



ControlMax™ 1900 Cart

INCLUDES:
All metal gun
Inline filter/swivel
15m hose
Pressure gauge
Gun extension (30cm)
Tips: 311, 515, 619

Use only with Titan ControlMax HEA™ accessories. May not be compatible with other airless spraying accessories. Check owner's manual or call Titan Technical Service (866-848-2698) for details.

A NEW WAY TO PAINT.

	1900 Skid	1900 Cart
SPECIFICATIONS		
Maximum Operating Pressure	11MPa (110 bar)	11MPa (110 bar)
Motor output	0.6 KW	0.6 KW
Voltage	230V / 50Hz	230V / 50Hz
Max. nozzle size	0.019"	0.019"
Max. delivery volume	1.5I/min	1.5 l /min
Weight	7.6kg	13kg
CONFIGURATIONS	PART NO.	PART NO.
Skid	2371077	
Cart		2371081

All information contained in this brochure is based on the latest information available at the time of printing. Titan reserves the right to make changes at any time, without notice. Due to continuous innovation, specifications may progressively change. Contact one of our dependable sales reps or call our dedicated customer service team for more information.

J. Wagner GmbH | Otto-Lilienthal-Str. 18 | 88677 Markdorf | Customer, Service-PF@wagner-group.com | titantool.com