



Convertible

Easy, tool-free convertibility for projects where gas engines are not permitted.

2.0 HP Electric Converto Kit sold separately.



Belt Guard

Easy access for converting from electric to gas power.



Speeflo® HydraDrive™

Smooth, slow-stroking hydraulic drive provides extreme power and reliability.



Severe Service[™] 900 Pump

Cylinder and piston rod are tempered with a proprietary heat-treating process that increases pump life 150% over competitive pumps. And self-adjusting packings resist over-tightening and help prevent premature wear.



POWRTWIN[™] **4900 PLUS**

1.50 GPM

Recommended for up to 250 gallons per week.

Features:

Accurate Pressure Control

Ranges from 400 to 3300 PSI. Spray low viscosity primers to heavy-bodied finish paints.

Vented Hydraulic Fill and Dip Stick

Easy access for less mess.

Easy-Remove Filter

Only 3 turns to remove.

Wrap Around Frame

For extra strength and stability.

Durable Cart

With telescoping handle and convenient lift handles.

Honda® 160cc OHV GX160 Engine

Overhead cam engines have greater fuel efficiency than overhead valve engines.

Convenient Pail Hook





The PowrTwin 4900 Plus comes complete with RX-Pro Gun, 517 TR1 Reversible Tip and 1/4" x 50' Airless Hose.



PowrTwin 4900 Plus

Designed and built for contractors who are serious about completing large scale painting projects quickly and profitably. The PowrTwin 4900 Plus is ideal for professionals who want the slow-stroking power and maximum durability that only the PowrTwin 4900 Plus can deliver. Delivering 1.5 gallons per minute means you can connect up to 3 guns and keep a crew spraying.

	PowrTwin 4900 Plus
SPECIFICATIONS	
Max. Delivery - Gas	1.50 GPM
Max. Delivery - Electric	1.10 GPM
Max. Tip Size (1-Gun) - Gas	0.038"
Max. Tip Size (2-Guns) - Gas	0.028"
Max. Tip Size (1-Gun) - Electric	0.031"
Max. Tip Size (2-Guns) - Electric	0.023"
Max. Operating Pressure	3300 PSI
Engine	160cc Honda® GX 160
CONFIGURATIONS	PART NO.
With Gas Engine	0290012



PowrTwin 6900 Plus

Designed and built for contractors who are serious about completing large scale painting projects quickly and profitably. The PowrTwin 6900 Plus is ideal for professionals who want the slow-stroking power and maximum durability that only the Powrtwin 6900 Plus can deliver. Take a step up in power delivering 2.25 gallons per minute (Gas Model) means you can connect up to 4 guns and keep a larger crew spraying.

	PowrTwin 6900 Plus	PowrTwin 6900 Plus Electric
SPECIFICATIONS		
Max. Delivery - Gas	2.25 GPM	
Max. Delivery - Electric	1.25 GPM	1.25 GPM
Max. Tip Size (1-Gun) - Gas	0.050"	0.050"
Max. Tip Size (2-Guns) - Gas	0.033"	0.033"
Max. Tip Size (1-Gun) - Electric	0.036"	0.036"
Max. Tip Size (2-Guns) - Electric	0.026"	0.026"
Max. Operating Pressure	3300 PSI	3300 PSI
Engine	160cc Honda® GX 160	2.00 HP
CONFIGURATIONS	PART NO.	PART NO.
With Gas Engine	0290013	
With Electric Motor		0290028

POWRTWIN[™] 6900 PLUS

2.25 GPM

Recommended for up to 400 gallons per week.

Features:

Accurate Pressure Control

Ranges from 400 to 3300 PSI. Spray low viscosity primers to heavy-bodied finish paints.

Vented Hydraulic Fill and Dip Stick

Easy access for less mess.

Easy-Remove Filter

Only 3 turns to remove.

Wrap Around Frame

For extra strength and stability.

High Efficiency Cooling Fan

Keeps the hydraulics cooler for longer life.

Durable Cart

With telescoping handle and convenient lift handles.

Honda 160cc OHV GX160 Engine

Dependable, gas-powered engine with low-oil alert.

Convenient Pail Hook





The PowrTwin 6900 Plus comes complete with S-3 Gun, 517 TR¹ Reversible Tip and 1/4" x 50' Airless Hose.

POWRTWIN[™] 8900 PLUS

2.50 GPM

Recommended for up to 400 gallons per week.

Features:

Accurate Pressure Control

Ranges from 400 to 3300 PSI. Spray low viscosity primers to heavy-bodied finish paints, block filler and elastomerics.

Vented Hydraulic Fill and Dip Stick

Easy access for less mess.

Easy-Remove Filter

Only 3 turns to remove.

Wrap Around Frame

For extra strength and stability.

High Efficiency Cooling Fan

Keeps the hydraulics cooler for longer life.

Durable Cart

With telescoping handle and convenient lift handles.

Convenient Pail Hook

Honda® 200cc OHV GX200 Engine

Dependable, gas-powered engine with low-oil alert.



The PowrTwin 8900 Plus comes complete with S-5 Gun, 517 TR1 Reversible Tip and 1/4" x 50' Airless Hose.



PowrTwin 8900 Plus

Designed and built for contractors who are serious about completing large scale painting projects quickly and profitably. The PowrTwin 8900 Plus is ideal for professionals who want the slow-stroking power and maximum durability that only the Powrtwin 8900 Plus can deliver. Take a step up in power delivering 2.5 gallons per minute (Gas Model) means you can connect up to 4 guns and keep a larger crew spraying.

	PowrTwin 8900 Plus	PowrTwin 8900 Plus Electric
SPECIFICATIONS		
Max. Delivery - Gas	2.50 GPM	
Max. Delivery - Electric	1.25 GPM	1.25 GPM
Max. Tip Size (1-Gun) - Gas	0.054"	0.054"
Max. Tip Size (2-Guns) - Gas	0.038"	0.038"
Max. Tip Size (1-Gun) - Electric	0.036"	0.036"
Max. Tip Size (2-Guns) - Electric	0.026"	0.026"
Max. Operating Pressure	3300 PSI	3300 PSI
Engine	200cc Honda® GX 200	2.00 HP
CONFIGURATIONS	PART NO.	PART NO.
With Gas Engine	0290018	
With Electric Motor		0290027



PowrTwin 12000 Plus

Designed and built for contractors who are serious about completing large scale painting projects quickly and profitably. The PowrTwin 12000 Plus is ideal for professionals who want the slow-stroking power and maximum durability that only the Powrtwin 12000 Plus can deliver. Take a step up in power delivering 3.15 gallons per minute (Gas Model) means you can connect up to 4 guns and keep a larger crew spraying.

	PowrTwin 12000 Plus
SPECIFICATIONS	
Max. Delivery - Gas	3.15 GPM
Max. Delivery - Electric	1.25 GPM
Max. Tip Size (1-Gun) - Gas	0.058"
Max. Tip Size (2-Guns) - Gas	0.040"
Max. Tip Size (1-Gun) - Electric	0.036"
Max. Tip Size (2-Guns) - Electric	0.026"
Max. Operating Pressure	3600 PSI
Engine	270cc Honda® GX 270
CONFIGURATIONS	PART NO.
With Gas Engine	0290016

POWRTWIN[™] 12000 PLUS

3.15 GPM

Recommended for 500+ gallons per week.

Features:

Accurate Pressure Control

Ranges from 400 to 3600 PSI. Spray low viscosity primers to heavy-bodied finish paints, block filler and elastomerics.

Vented Hydraulic Fill and Dip Stick

Easy access for less mess.

Easy-Remove Filter

Only 3 turns to remove.

Wrap Around Frame

For extra strength and stability.

High Efficiency Cooling Fan

Keeps the hydraulics cooler for longer life.

Durable Cart

With telescoping handle and convenient lift handles.

Convenient Pail Hook

Honda® 270cc OHV GX270 Engine

Dependable, gas-powered engine with low-oil alert.



The PowrTwin 12000 Plus comes complete with S-5 Gun, 517 TR 1 Reversible Tip and 1/4" x 50' Airless Hose.

POWRTWIN™ DI SERIES

The PowrTwin DI units with submersed foot valve create the most efficient siphon system on the market today allowing the spraying of very heavy coatings. Additionally, our EZ swing frame makes this the most efficient and convenient to use gas hydraulic system in the market today.

Features:

Direct Immersion

The 6900 Plus DI has a submersed foot valve which you allows you to siphon heavy viscosity coatings.

Power Multiple Spray Guns

The 12000 Plus DI has an industry leading 3.15 GPM giving it the ability to power up to 6 spray guns.

Easy to Convert

Easily convert to gas or electric power without any tools.

Belt Guard

Easy access for converting from gas to electric.



EZ Swing Frame

Allows for less spillage during paint changes and lower height (and center of gravity) of unit for easy transportation.

PowrTwin 6900 Plus DI

0290021

Configured with a submersible foot valve designed for very heavy materials, including drywall mud.



PowrTwin 6900 Plus DI Electric



PowrTwin 12000 Plus DI

0290023

The flagship of the line and is recommended for very large scale projects where up to 6 guns may be needed, or application of very heavy coatings. The most portable roofing sprayer ever.



POWERED by HONDA

	GAS POWERED		ELECTRIC
	PowrTwin 6900 Plus Dl	PowrTwin 12000 Plus DI	PowrTwin 6900 Plus DI Electric
SPECIFICATIONS			
Max. Delivery - Gas	2.25 GPM	3.15 GPM	2.25 GPM
Max. Delivery - Electric	1.25 GPM	1.25 GPM	1.25 GPM
Max. Tip Size (1-Gun) - Gas	0.050"	0.058"	0.050"
Max. Tip Size (2-Guns) - Gas	0.033"	0.040"	0.033"
Max. Tip Size (1-Gun) - Electric	0.036"	0.036"	0.036"
Max. Tip Size (2-Guns) - Electric	0.026"	0.026"	0.026"
Max. Operating Pressure	3300 PSI	3600 PSI	3300 PSI
Engine	160cc Honda® GX 160	270cc Honda® GX 270	2.00 HP TEFC DC
CONFIGURATIONS	PART NO.	PART NO.	PART NO.
With Gas Engine	0290021	0290023	
With Electric Motor			0290029



PowrTwin 12000 Plus DI comes complete with RX-Apex Non-filtererd Gun, 517 TR1 Reversible Tip and 3/8" x 50' Airless Hose.

PowrTwin 6900 Plus DI (Gas and Electric) come with RX-Apex Non-filtererd Gun, 517 TR1 Reversible Tip and 3/8" x 50' Airless Hose.